

CLAIMS

1 1. A picture hanging device, comprising a body; at least one
2 marking element extending from one side of said body for marking a wall and
3 the like, said body having at least one flexible portion which is of one piece
4 with a remaining portion of said body, said marking element being arranged
5 on said at least one flexible portion so that by displacing said at least flexible
6 portion relative to said remaining portion of said body, said marking element
7 can be displaced transversely to said body for marking purposes.

8
9
10
11 2. A picture hanging device as defined in claim 1; and further
12 comprising at least one button provided on said body for hanging a picture.

1 6. A picture hanging device as defined in claim 4, wherein said
2 protective element includes a plurality of protective pads.

1 7. A picture hanging device as defined in claim 4, wherein said
2 protective element is composed of a material which provides a low coefficient
3 of drag.

1 8. A picture hanging device as defined in claim 1; and further
2 comprising a handle provided on said body at an end which is opposite to an
3 end on which said at least one button and said at least one marking element
4 are provided.

1 9. A picture hanging device as defined in claim 1; and further
2 comprising at least one leveling element operative for leveling a picture after
3 hanging.

1 10. A picture hanging device as defined in claim 1; and further
2 comprising two leveling elements provided on said body and extending
3 transversely to one another so as to provide leveling a picture after hanging,
4 on a horizontal surface and on a vertical surface.

002221" T0T24250